



No 2

WILMA
SWEATER

Sweater w/cables and blackberry pattern
Instruction: Anita Brathetland

Sizes:

(S) M (L) XL (XXL-XXXL)

Measurements:

Bust: (88) 98 (108) 118 (128) cm

Length: (56) 58 (60) 61 (62) cm

Sleeve length: 47 cm, or suitable length

All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension.

Yarn:

SILK MOHAIR (60 % kid mohair, 15 % wool, 25 % silk, 50 g = 280 m)

Yarn required:

Natural #1012: (5) 6 (6) 7 (8) balls

Suggested knitting needles:

Circular and double pointed 4.5 mm and 5 mm

Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle

Tension:

16 sts St-st with double yarn (2 strands) and 5 mm ndls = 10 cm

Diagram A meas approx 40 cm

Diagram B meas approx 14 cm

NOTE: The middle pattern of diagram A is blackberry pattern. For this section the number of sts will vary between 27 and 29 sts every other rnd/row.

This happens automatically when you follow the diagram.

The black squares in diagram show the rnds for 27 sts in this section.

Work entire garment with double yarn (2 strands)**Back and front:**

With double yarn and 4.5 mm circular ndl cast on (168) 184 (200) 216 (232) sts. Join and work 4 cm ribbing in rnds as follows:

K1, p2, *k2, p2*, rep from *-* end with k1.

Change to 5 mm circular ndl.

Work *p(3) 7 (11) 15 (19), diagram A, p(3) 7 (11) 15 (19) *, rep from *-* once more = (202) 218 (234) 250 (266) sts.

Insert marker at each side with (101) 109 (117) 125 (133) sts for each part.

Cont in this order until work meas approx (36) 37 (38) 38 (38) cm.

Cast off 4 sts at each side for armholes (= 2 sts at each side of markers).

Work each part separately.

NOTE: Work cable twisting on RS rows.

Edge sts: k every row**Back:**

= (97) 105 (113) 121 (129) sts.

Cont back and forth in the same pattern order as before and inside 1 edge st at each side. At the same time cast off for armhole at beg of every row at each side as follows:

Size (S): 1 st once

Size M: 2 sts twice, 1 st once

Size (L): 3 sts twice, 2 sts once, 1 st once.

Size XL: 3 sts 3 times, 2 sts once, 1 st twice

Size (XXL-XXXXL): 3 sts 4 times, 2 sts twice, 1 st once

All sizes:

= 95 sts all sizes.

Cont until armhole meas (9) 10 (11) 12 (13) cm.

Shape shoulder as follows: cast off at beg of every row on armhole side: 6 sts twice, 5 sts twice (all sizes).

NOTE: Work last row of diagram A when dec above cables, k2tog count as 1 st at shoulder cast-off.

Transfer rem sts to spare ndl.

Front:

= (97) 105 (113) 121 (129) sts.

Work and cast off for armhole as the back = 95 sts (all sizes).

Cont until armhole meas (9) 10 (11) 12 (13) cm.

Shape and cast off for shoulder as the back and transfer the 29 middle sts to spare ndl for neck as shown in diagram A.

Work each side separately and cont shaping of shoulder. At the same time cast off at beg of row at neck 2 sts once, 1 sts twice.

NOTE: Work last row diagram A when dec above cables, k2tog count as 1 st at shoulder cast-off.

Work other side the same but in a mirror image.

Sleeves:

With double yarn and 4.5 mm double pointed ndls cast on (32) 32 (36) 36 (36) sts. Join and work 4 cm ribbing in rnds as follows:

Size (S) M:

K1, p2, *k2, p2*, rep from *-*, end with k1.

Size (L) XL (XXL-XXXL):

P1, k2, *p2, k2*, rep from *-*, end with p1.

All sizes:

Change to 5 mm double pointed ndls, and insert marker around first and last st of rnd.

P(3) 3 (5) 5 (5), diagram B, p(3) 3 (5) 5 (5) = (39) 39 (43) 43 (43) sts.

Cont in this order and when sleeve meas 7 cm inc 1 st at each side of marker.

Rep inc approx every (3½) 3½ (3½) 2½ (2½) cm until (61) 63 (67) 71 (73) sts.

Cont until sleeve meas 47 cm, or suitable length.

Cast off 4 middle underarm sts (= marked sts + 1 st at each side).

Cont back and forth and cast off for sleeve cap at beg of every row at each side 2 sts (2)3(4)6(6) times, 1 st (7) 6 (6) 4 (5) times. = 35 sts.

NOTE: Work cable twisting on RS rows.

Sleeve cap will now fit into armhole of garment.

Cont approx 13 cm diagram B, inside 1 edge st at each side.

Leave sts on spare ndl.

Work other sleeve the same.

Finishing:

Sew sleeves to armhole at back and front, and at shoulders.

Neckband:

Transfer sts from spare ndl to 4.5 mm working ndl. With double yarn knit up sts at neck edge and work last row of diagram A and B over sleeves and back.

Work 1 row as sts appear and adjust number of sts to 88.


Arrange sts to fit nicely into the ribbing.

Work 8 cm ribbing k2, p2 in rnds

Cast off rib-wise.

Fold neckband to WS and sew loosely with hidden sts.

B



- k on RS, p on WS
- ▣ p on RS, k on WS
- No stitch, work next symbol
- ⌈ Pick up yarn between 2 sts and k tbl this new st
- ⌋ pick up yarn between 2 sts and p tbl this new st
- ▨ sl 1, k2, pss0
- ⊙ 1 yo
- ▤ RS: k3tog
WS: p3tog
- ▥ RS: (p1, k1, p1) in the same st
WS: (k1, p1, k1) in the same st
- ▧ Transfer 5 sts to extra ndl and hold in back of work, k5, k sts from extra ndl
- ▨ Transfer 5 sts to extra ndl and hold in front of work, k5, k sts from extra ndl
- ▩ RS: k2tog
WS: p2tog

A

