

2009_3 EN

VILJE

SADNES GARN

THE NORWEGIAN
YARN FACTORY
SINCE 1888




VILJE VEST

VEST W/CABLE / INSTRUCTION: ÅSA CHRISTIANSEN



BACK AND FRONT

With 3.5 mm circular ndl cast on (122) 130 (138) 152 (160) 168 sts. Join and work (3) 3 (3) 4 (4) 4 cm ribbing k1, p1 in rnds. Change to 4 mm circular ndl. Insert marker at each side with (61) 65 (69) 76 (80) 84 sts for each part, and one marker around the (15) 15 (15) 18 (18) 18 middle front sts. Cont St-st and work diagram over the marked middle front sts, and inc on first rnd as shown in diagram = (127) 135 (143) 158 (166) 174 sts. Cont in this order until garment meas approx (24) 27 (30) 33 (34) 35 cm. Cast off 6 sts at each side for armholes (= 3 sts at each side of markers), and work each side separately.

- k on RS, p on WS
- p on RS, k on WS
- Inc 1: pick up yarn between 2 sts and k tbl this new st
- k2tog
-  transfer 2 sts to spare ndl and hold in back of work, k2, k sts from spare ndl
-  transfer 2 sts to spare ndl and hold in front of work, k2, k sts from spare ndl

SIZES

(2) 4 (6) 8 (10) 12 yrs

MEASUREMENTS

Chest width: approx (61) 65 (69) 76 (80) 84 cm
 Length: approx (36) 40 (44) 48 (50) 52 cm
 All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension

YARN

SMART (100 % wool, Superwash, 50 g = 100 m)

ALTERNATIVE YARN

PEER GYNT, ALPAKKA, DUO, MERINOULL

Note: If alternative yarn is chosen be sure to check the yardage on label. The image of garment might change by using alternative yarn

YARN REQUIRED



Sea-green melange #7252/ Lt.grey #1032:
 (3) 4 (4) 5 (6) 7 balls

SUGGESTED KNITTING NEEDLES

Circular 3.5 mm and 4 mm
 Double pointed 3.5 mm
 Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle.

TENSION

20 sts St-st with 4 mm ndls = 10 cm



EDGE ST: K EVERY ROW.

BACK

= (55) 59 (63) 70 (74) 78 sts.

Cont St-st back and forth inside 1 edge st at each side, and cast off for armholes at beg of every row at each side 3 sts (1)1(1)2(2)2 times, 2 sts (1)2(2)1(1)1 time, 1 st (2)1(1)2(2)3 times = (41) 43 (47) 50 (54) 56 sts.

Cont until garment meas approx (36) 40 (44) 48 (50) 52 cm.

Cast off the (23) 25 (27) 28 (30) 32 middle sts for neck and transfer the (9) 9 (10) 11 (12) 12 shoulder sts at each side to spare ndl.

FRONT

= (60) 64 (68) 76 (80) 84 sts.

Cont St-st and diagram and work cable twists on RS rows.

Cont back and forth St-st and [diagram](#) for chosen size, at the same time cast off for armhole at each side in the same manner as the back = (46) 48 (52) 56 (60) 62 sts.

Cont until garment meas (29) 33 (37) 41 (43) 44 cm.

Cast off the (16) 16 (16) 20 (20) 20 middle front sts for neck, at the same time dec (5) 5 (5) 6 (6) 6 sts over cable as shown on last row of diagram.

Work each side separately.

Cont St-st and cast off at beg of every row at neck 2 sts (2)2(3(2)3(4) times, 1 st (2)3(2)3(2)1 times.

Cont until garment meas approx (36) 40 (44) 48 (50) 52 cm.

Transfer the (9) 9 (10) 11 (12) 12 shoulder sts to spare ndl. Work other side the same but in a mirror image

FINISHING

Knit or graft shoulder sts tog.

NECKBAND

Transfer sts from spare ndl to 3.5 mm circular ndl and at the same time knit up sts at neck edge to approx (76) 80 (84) 88 (92) 96 sts.

Number of sts a multiple of 2.

Work approx 2 cm ribbing k1, p1 in rnds.

Cast off loosely rib-wise.

ARMHOLE BANDS

With 3.5 mm double pointed ndls knit up approx 1 st every st/row, but miss every 4th st/row at armhole edge to approx (68) 74 (80) 86 (92) 98 sts on ndl.

Number of sts a multiple of 2.

Work approx 2 cm ribbing k1, p1 in rnds

Cast off loosely rib-wise.

Work the same on other side.

